

MATRAX HEAVY CAT 30

Description

A lubricant developed for use in transmissions, shafts, oil bath brakes and hydraulic systems requiring compliance with the Caterpillar TO-4 and the Detroit Diesel Allison C-4 specifications.

Aplication

This high-quality lubricant has been carefully formulated with refined bases and detergent, dispersant, corrosion inhibitor, anti-wear and extreme pressure additives. Lubricant recommended for application in transmissions, shafts, oil bath brakes and hydraulic systems of equipment operating on and off road and requiring compliance with the Caterpillar TO-4 and the Detroit Diesel Allison C-4 specifications.

Technical characteristics

Significantly improved friction and wear resistance: compared with fluids requiring compliance with the Caterpillar TO-2 specification

Less brake noise: helps eliminate noise and ensure smoothness during braking when compared with fluids requiring compliance with the Caterpillar TO-2 specification; it also reduces the weakening of the binding agent of paper components, as well as elastomer weakness, extending the equipment's useful life

Friction performance control: it has different friction modifiers (metallic and non-metallic) that allow for an excellent slip performance when clutching, loading or sliding Protection against wear and deposit formation: formulated to reduce both wear and deposit formation

Excellent low-temperature fluidity: smoother starts with less wear in cold temperatures to extend the useful life of the transmission

High resistance to foaming: high air release without excessive foaming to facilitate hydraulic power transmission

Technical information

Parameter

Kinematic viscosity @40°C (cSt) ASTM D 445 Kinematic viscosity @100°C (cSt) ASTM D 445 Viscosity index ASTM D 2270 Density a 15°C (g/cm3) ASTM D 1298 Flash point (°C) ASTM D 92 Freezing point (°C) ASTM D 97

MATRAX HEAVY CAT 30 97,8 11,1 95 0,89

240

-20

Approvals and Recommendations

Caterpillar TO-4/TO-4 M · API GL-4 · Allison C-4/TES-439 · Komatsu KES 07 868 1 · ZF TE-ML 03C/07F · Eaton Vickers M-2950-S/I-280-S · DANA OHTM-TO

All packaging must be stored in covered facilities. In cases where outdoor storage is unavoidable, the drums should be placed horizontally to prevent the possible infiltration of water, as well as their deformation. Products should not be stored above 60°C, exposed to direct sunlight or low temperatures. We advise you to read the safety data sheet carefully for more information on its use and handling.



Zona Industrial da Pedrulha Lote 12, Mealhada 3050-183 Casal Comba Portugal

info@abchemicalsolutions.com +351 231 244 256

Rev. 0